



Windows




Sliding doors



Entrance doors



Roller shutters



Garage doors




# #Heart of the home


We exist because we know how important the most ordinary moments of our lives can be. We want to participate in them and create the most beautiful framework for your special moments.



## Our products




Windows




Sliding doors



Entrance doors



Roller shutters



Garage doors

## Meet EUROCOLOR

**EUROCOLOR is the result of over 25 years of experience and committed commitment to our customers.**

All to understand their needs and be able to respond to them in a way that no other company does. This is the story of a company that was founded to provide millions of people around the world, every loving family with the warmth and security of a real home. These are values that are disappearing in an age of growing individualism, the breakdown of principles, the collapse of authority, in an age of doubt and mutual distrust.



# +27

years of experience

# +60

Technologies

# +300

Skilled workers

# +500

Trusted partners throughout Europe




We base our products on renowned brands:




”

We respect our customers, so we always try to meet their expectations. We do our best to be a fully friendly brand and we are glad that our Partners appreciate it. We are grateful for the trust thanks to which our products reach thousands of homes. Positive opinions motivate us to even better work.



Check and compare our products at  
[www.eurocolor.com.pl/en/compare-the-products](http://www.eurocolor.com.pl/en/compare-the-products)



Get to know **EUROCOLOR** products and choose the best for you from the whole range. Check out the most important parameters that our windows (PVC) can achieve:

up to **86 mm**  
system width

up to **7**  
chambers

up to **3**  
gaskets  
(MD version)

up to **0,72** W/m<sup>2</sup>K  
the Uw parameter

up to **47** dB  
Rw parameter

up to **7 years**  
warranty





Trust technology  
with the heart

**The best profile, selected hardware and new-generation glazing are the ideal configuration only available in EUROCOLOR.**

A wide range of colour options, both classic, imitating various types of wood, and modern (veneered on one or both sides), will make your home stylish and elegant.


- 1 Branded profiles up to 86 mm wide with centre gasket MD
- 2 Innovative hardware including 4 security points
- 3 Energy-efficient glazing packages (up to 52 mm thick)

## Unique solutions



### Branded profiles

EUROCOLOR windows (PVC) offer optimum profile widths (up to 86 mm) which, together with the centre gasket (MD), guarantee high energy efficiency (Uw up to 0.72 W/m<sup>2</sup>K).



Windows (PVC) available in technologies:



### Innovative hardware

High level of user comfort and security have been achieved through the use of: the patented KoPiBo roller, sash lifter, 4 security points and advanced ventilation systems.



### Energy-efficient glazing

Metal-free glazing technology consisting of three panes with a thickness of up to 52 mm ensures high energy efficiency and durability of the windows for years.



### 2 in 1

Branded profiles combining the aesthetic finish of corners with extraordinary durability.



### 3 gaskets

A set of three gaskets with a central MD provides excellent thermal and acoustic insulation.



### Patented hardware

Innovative hardware with patented sash lifter, guaranteeing lightness and smoothness when closing.



### Security points

4 security points as standard provides a high level of protection against burglary.







Innovative  
light source

**Selected profiles and hardware, as well as new-generation glazing, are the ideal configuration only available in EUROCOLOR.**

Our minimalist aluminium products perfectly emphasise the modern character of buildings. Thanks to specially selected profiles and the properties of the material used, ALU windows offer high rigidity.


- 1 Durable profiles with high rigidity allow large structures to be constructed
- 2 Functional hardware including 4 security points
- 3 Energy-efficient glazing packages (up to 72 mm thick)

## Unique solutions



### Durable profiles

Selected profiles and the properties of aluminium enable much larger constructions than in traditional windows (PVC).



### Functional hardware

The hardware, which has been tried and tested for many years, ensures user comfort, easy operation and the 4 security points guarantee a high level of protection against burglary.



### Energy-efficient glazing

Metal-free glazing technology consisting of three panes with a thickness of up to 72 mm ensures high energy efficiency and durability of the windows for years.

Windows (ALU) available in technologies:





### Ultra strength

Selected profiles and the properties of aluminium enable much bigger constructions than in traditional windows (PVC).



### State-of-the-art design

Windows (ALU) are made of profiles distinguished by their unusually slim design, thanks to which they fit in with the design of any modern building.



### Mega dimensions

Windows (ALU) are constructions made of much larger elements, thanks to which they offer impressive glazing, providing rooms with even more light.



### Any RAL colour

In selection of colours we focus on innovation and bold combinations. Apart from the currently most popular grey shades, we offer several hundred other colour versions, available among the RAL colours.







**Our PSK (PVC) sliding doors are made from profiles of renowned brands. Thanks to proven solutions they ensure effective thermal insulation and guarantee more spacious interiors.**

We offer you a wide selection of systems with a broad range of applications. You will find in our offer doors ideal both for classic, energy-efficient construction and for single- and multi-family houses.

- 1** Doors made of REHAU / SCHÜCO / VEKA brand profiles that have been tested for years
- 2** The tilt and slide system makes it easy to move heavy sashes (up to 200 kg)
- 3** Metal-free glazing up to 52 mm thick

## Unique solutions



### Proven profiles

Profiles of REHAU, SCHÜCO, and VEKA brands, which have been proven for years, ensure effective thermal insulation and greater interior space.




### Freedom of movement

The tilt and slide system allows very heavy and large sashes (up to 200 kg) to be moved easily and freely.



### More natural energy

The large glazing area of PSK sliding doors (PVC) ensures efficient use of solar radiation, which warms any interior.



**PSK (PVC) sliding doors available in technologies:**







### Stronger profiles

Proven profiles, providing effective thermal insulation and guaranteeing higher rigidity of the entire structure.



### Sliding and tilting comfort

The functional tilt and slide system makes it possible to move very heavy sashes weighing up to 200 kg easily and freely, and to tilt them as in traditional windows (PVC)!



### Automatic hardware

PSK sliding doors (PVC) have a special runner that, together with the running rail, ensures smooth entry of the sash and easy closing or tilting.



### The cheapest sliding door

PSK (PVC) sliding door is the most economical sliding door solution available on the market.





More natural energy  
and freedom of movement

Don't limit yourself. Safety, technology and beauty need not be mutually exclusive.  
For us, these values are inseparable.

SLIDE sliding doors (PVC) offer unprecedented freedom when designing your living space. This is possible thanks to sashes that open parallel to the wall and do not „enter” into the room as traditional patio doors do.

- 1 Free movement with minimum effort thanks to SLIDE sliding hardware
- 2 Innovative profiles with sashes that open parallel to the wall and do not „enter” the room
- 3 Non-metallic glazing up to 50 mm thick

## Unique solutions



### Special design

SLIDE sliding doors with the sash opening parallel to the wall provide more living space, making it possible to create doors up to 4 m wide and 2.6 m high.




### More natural energy

The large glazing surface area of the SLIDE sliding door (PVC) ensures efficient use of solar radiation to warm any interior.



### Freedom of movement

Almost automatic opening and closing freedom with minimum effort is provided by the special SLIDE hardware.



SLIDE sliding doors (PVC)  
available in technologies:







### New sliding door model

A unique design with sashes that open parallel to the wall, allowing to create a large space with more natural energy flowing into the room.



### Convenient sliding hardware

Ease of operation is ensured by the special hardware, thanks to which opening and closing are easy with a minimum of effort.



### Special cover

A special threshold guard made of durable aluminium protects the door from damage when accessing the garden.



### The perfect compromise

The SLIDE sliding door (PVC) is the ideal compromise between sliding comfort and price.







2x more light,  
2x more space

**With EUROCOLOR HS sliding doors you can bring even more light into a spacious interior.**

Our HS (PVC) sliding doors are manufactured using innovative technology. The result is a generously dimensioned door that is extremely easy to use. The unique design will give your home an original touch.

- 1 The special construction of the system allows to make sliding doors HS (PVC) up to 6 m wide and 2.8 m high
- 2 Threshold integrated into the floor provides easy access to the terrace and garden
- 3 The lift-and-slide system guarantees easy and comfortable movement of large sashes, even those weighing 400 kg

## Unique solutions



### Special design

The unique design and special construction of the HS (PVC) sliding door enables very large doors up to 6 m wide and 2.8 m high.




### Easy sliding and barrier-free passage

The lift-and-slide system ensures easy and comfortable movement of large sashes, even weighing 400 kg, and the threshold integrated into the floor ensures easy access to the terrace and garden.



### More natural energy


The large glazing area of HS (PVC) sliding doors ensures effective use of solar radiation, which will warm up any interior.



**HS sliding doors (PVC)  
available in technologies:**









**The largest PVC patio door**

Despite their imposing dimensions of up to 6 m wide and 2.8 m high, EUROCOLOR HS (PVC) sliding doors are extremely easy to use.




**Barrier-free passage**

A threshold integrated into the floor ensures a comfortable transition from the house to the terrace or garden.



**Convenient sliding hardware**

The sliding system, together with a special handle, guarantees light and comfortable handling of large sashes weighing up to 400 kg.



**More natural energy**

The large dimensions of the HS (PVC) sliding doors ensure that even more sunlight penetrates your home.








## Lightweight and robust construction

Many years of experience and expertise have lead to that we stand before you with a ready-made formula for the best aluminium system.

Do you need proven solutions? Simpler and lighter than PVC, the construction of aluminium doors translates into greater comfort and convenience of use and, combined with the properties of aluminium, ensures freedom in creating the dimensions of the structure.

- 1 A cleverly designed threshold structure allows a smooth transition to the terrace
- 2 Large, impressive glazings provide even more light
- 3 The construction of the system and the durability of aluminium give great freedom in constructing large dimensions

### Unique solutions



#### Reliable construction

The construction of the system and the durability of aluminium give great flexibility in creating large-size structures, even up to 6 m wide.




#### More natural energy

The large glazing area in the HS (ALU) sliding door system provides plenty of light and efficient use of solar radiation to warm any interior.



#### Barrier-free passage

Easy access to the terrace or garden is ensured by a well-thought-out structure of the threshold, which allows for its concealment in the floor.



HS (ALU) sliding doors  
available in technologies:









### Super strong construction

The aluminium material and its properties ensure high rigidity and strength of the HS (ALU) sliding door, allowing freedom in creating large structures.




### Barrier-free passage

Your home will gain a comfortable passage to your dream terrace or garden thanks to a threshold whose structure makes it possible to hide it in the floor.



### Freedom of movement

Thanks to the simpler and lighter, compared to PVC, construction of aluminium doors, you gain greater sliding comfort and incredible ease of use.



### More space

Large size also means large and impressive glazing, so that you can enjoy more light and your home will gain a stylish arrangement.





## Beauty and design Get to know your entrance doors

Or maybe you need elegant entrance doors? We offer classic models with simple design, which will give the entrance to your home a refined character.

Entrance doors will ensure peace and security, protect you from noise and, if necessary, lock themselves. You don't have to remember about locking them because they will do it for you!

- 1 Many variants of hardware, among others the automatic version, lock themselves when the door is closed
- 2 Wide range of models and special panel construction (HPL material up to 62 mm thick)
- 3 Details that add character and underline the individuality of the door: handles, grips, and hinges available in many variants

### Unique solutions




#### Modern design

The wide range of models and the special construction of the panels (HPL material up to 62 mm thick and decorative frames of brushed aluminium) guarantee not only a perfect appearance but also comfort of use.




#### Secure hardware

The door is available in a variety of hardware options including automatic, the door locks itself when closed, you don't have to remember to lock it.



#### Flexibility in appearance and dimensions


The detailed look and dimensions of your entrance doors (PVC) are entirely up to you, take advantage of the possibility to manufacture doors to individual dimensions, not available with steel or wooden doors.



#### Entrance doors (PVC) available in technologies:







### Super reinforced profiles

Proven German profiles with 3 mm wide closed steel reinforcements provide entrance doors (PVC) with stability and high weather resistance.



### Trouble-free automatic hardware

The door is available in a variety of hardware including automatic, the door locks itself after closing, you don't have to remember to lock it.



### Many hinge variants


Hinges on entrance doors (PVC) come in three variants:

- wing hinges with a traditional appearance with the hinge part visible,
- roller, where only its narrow part is visible, aesthetically composing with the door,
- invisible, which provides a smooth surface of the door, as the entire mechanism is hidden.



### Warm and strong ALU threshold

The aluminium threshold with thermal break protects against unnecessary heat loss and its low height guarantees a comfortable passage to the outside.





Tailored  
to your needs

**Do you need standard colours, metallic and structural effects, or perhaps a woodgrain finish?**

Discover the wide range of colours and possibilities you have when choosing EUROCOLOR aluminium entrance doors.

- 1 Many hardware variants, e.g. espagnolettes that lock at the turn of a key and lock when the door is latched
- 2 Individual details to underline the character of each door, including many variants of handles, grips and hinges
- 3 Selected special profiles and durable aluminium, provides unique design and functionality of the door

## Unique solutions




### Design

Entrance doors (ALU) are an elegant showpiece of your home. Original style and 100% functionality are ensured by selected components.



### Secure hardware

Brand-name hardware is available in many variants: standard espagnolettes (bolted when the key is turned), automatic espagnolettes (bolted when the door is latched), automatic espagnolettes (with motorisation - giving many control options) and electronic control.



### Flexibility in appearance and dimensions

The detailed look and dimensions of your entrance door (ALU) are entirely up to you, take advantage of the possibility to manufacture doors to individual dimensions, which is not available for steel or wooden doors.



**ALUMORE STANDARD (ALU) entrance doors available in technologies:**







### Highly resistant ALU

The ALUMORE STANDARD (ALU) door profiles are distinguished by their high resistance to weathering associated with thermal changes, so you can enjoy high comfort comfortable use, regardless of the season.



### Enter in style

Do away with boredom once and for all! Choose an entrance door (ALU) with functional accessories, e.g. Many types of handles, grips and hinges. This is a choice that will emphasise your originality.



### Design TOP-Trends

Entrance doors (ALU) are an elegant showpiece of your home. A wide range of selected TOP models will distinguish your home with a modern design.



### Any RAL colour

In addition to the currently most popular grey tones, we offer several hundred other colour versions, available among the RAL colours. In this way, you can express yourself not only through the choice of the door model itself but also with an original colour, which will distinguish your house from others.





**Centro**  
overlay door with ALUNOX frame,  
white, with PROFILO-02 grip  
(L=1000mm)



**Cinemo**  
overlay door with ALUNOX frame,  
steel-blue colour, with PROFILO-02 grip  
(L=1000mm)



**Fland**  
overlay door with ALUNOX frame,  
anthracite colour, with PROFILO-02  
grip (L=1000mm)



**Primo**  
overlay door with ALUNOX frame,  
white, with ST-03 grip (L=800mm)



**Trio**  
overlay door with ALUNOX frame,  
anthracite colour, with PROFILO-02 grip  
(L=1800mm)



**Quadro**  
ALUNOX frameless overlay door  
in Walnut colour with BC-04 grip  
(L=1600mm)



**Slim**  
overlay door with ALUNOX frame,  
steel-blue colour, with PROFILO-02 grip  
(L=1800mm)



**Tinto**  
overlay door with ALUNOX frame,  
walnut colour, with BC-04 grip  
(L=1600mm)



**Elegant**  
overlay door with ALUNOX frame,  
golden oak colour, with BC-04 grip  
(L=1600mm)



**Conturo**  
overlay door with steel elements,  
basalt colour, with PROFILO-02 grip  
(L=1000mm)



**Estetik**  
overlay door with ALUNOX frame,  
anthracite colour, with PROFILO-02 grip  
(L=1000mm)



**Simple**  
overlay door with ALUNOX frame,  
in steel blue, with BC-04 grip  
(L=1600mm)



**Lumeo**  
overlay door with ALUNOX frame,  
anthracite colour, with PROFILO-02 grip  
(L=1200mm)



**Ideco**  
ALUNOX frameless overlay door, white,  
with PROFILO-02 grip (L=1200mm)



**Linea**  
overlay door with ALUNOX frame, basalt  
colour, with PROFILO-02 grip (L=1800mm)



**Line**  
overlay door with ALUNOX frame,  
basalt colour, with PROFILO-02 grip  
(L=1800mm)





Ultra design  
is always at a premium

**Ultra design is not only about the appearance of the door itself...  
It's also about the quality and refinement of the aluminium material.**

ALUMORE DOORS are distinguished by their high degree of precision and consistent attention to details.  
Thanks to the wide range of models and variants, you will easily find something that suits your needs and your taste.

- 1 Robust construction with swim panel and its special fastening ensures resistance to all weather conditions
- 2 The refinement of aluminium profiles ensures high precision and attention to detail of the door (decorative frames flush with the door surface door, selected 3D elements)
- 3 Doors are available in STANDARD, 3D and DUAL variants

## Unique solutions



### Ultra Design

Ultra design is not only about the appearance of the door itself, it is also about the quality and refinement of the material aluminium. ALUMORE DOOR (ALU) entrance doors are characterised by very high precision and attention to details.



### Robust construction

The robust construction with swim panel and its special fastening ensures resistance to all weather conditions.



### Technological functionality

We have increased the comfort and durability of the door by using bolted hardware as standard for thousands of entries in the 3 most important points.



### Ultra design

A unique door design can be achieved by combining grey tones and woodgrain colours



### Functional hardware

As standard, the doors are equipped with hardware locked at 3 key points, which can withstand thousands of entries. We have also taken care of the possibility to apply hook and bolt hardware, as we put the issue of safety on a par with the utility and aesthetics of our doors.



### Entrance in style

The elegant grip mounted directly on the panel, enhances its unique appearance.



### Technological functionality

We have also ensured that you have many other options for opening the door. The solutions we would like to offer you are pure automation using among others: fingerprint reader, touch pendants, Smart Home application (CONNEXOON, TAHOMA) or a door locking system via. fingerprint reader, touchpads, Smart Home application (CONNEXOON, TAHOMA) or keypad.







### Standard

Ultra design is always at a standard price.



### Dual

Let your imagination run wild. Feel like a child in the world of colours. Choose your style and your favourite colours. Whichever way you choose, you are sure to catch the eye of your guests and ... your neighbours!



### 3D

Are you impressed by 3D effects? Choose this motif for your new entrance doors on the outside of the panel and glass... Sound good? Then go for it!



### 3D Dual

2 w 1! In this case, we combine both previous possibilities.



## The most important thing is invisible to the eye Get to know our roller shutters

**Give yourself the comfort that will protect you from annoying noise, excessive sunlight and the prying eyes of your neighbour.**

EUROCOLOR roller shutter systems, thanks to their construction and rigidity, are ready to fulfil their function perfectly for many years. A wide selection of models makes it possible to adapt them to the structure of any building.

- 1 An integrated mosquito net protects against intrusive insects, despite the open window
- 2 The armouring with polyurethane foam filling guarantees energy savings and protection from harsh weather conditions
- 3 Multiple control options: manual, electrical wired, radio, smartphone control e.g. Somfy Tahoma app

### Unique solutions



#### Perfect system

In our offer you will find many variants of boxes, which will allow you to adjust the cover to every window in your house.



#### Energy-saving barrier

The armouring with polyurethane foam filling guarantees energy-saving, and protects from annoying wind, noise and excessive heat on hot days.



#### Timely control

The roller shutter will lower or raise at a pre-set time, thanks to modern smartphone control options (e.g. Somfy Tahoma app). Many traditional control options are available as well.



Roller shutters available in technologies:

**ALUPROF**  
ALUMINIUM SYSTEMS

**Hosten**  
systemy pvc & alu

**exte**

**somfy**





### Front-mounted roller shutter (PVC)

The PVC roller shutter is in combination with the window, with the possibility of installation from the outside and with boxes in many sizes (height: 165, 185, 200, 240 mm).



### Flush-mounted roller shutter (STYROTHERM)

Concealed roller shutter made of STYROTHERM with the option of installation both internally and externally, with boxes in sizes 260 and 300 mm.




### Flush-mounted roller shutter (ALU)

The aluminium concealed roller shutter are intended for installation in front of a window, in a previously prepared lintel or on a façade (installation required) with boxes in many sizes (height: 137, 165, 180, 205 mm).




### Top-mounted roller shutter (ALU)

External roller shutter made of aluminium for installation in the wall or recess, with boxes in many sizes (height: 137, 165, 180, 205 mm) and two variants Inclined (45°) and semicircular.




### Proven design

In our offer you will find many variants of boxes, which will allow you to adjust the cover to every window in your house.



### Insect protection

An integrated mosquito net (for selected sizes of boxes) protects against intrusive insects despite the open window.



### Additional thermal barrier

The armouring, filled with polyurethane foam, creates an additional air cushion, which guarantees energy-efficiency, and protection from annoying wind, noise and excessive heat.



**somfy.**

### Smart Home

Many variants of roller shutter controls are available, including: from your smartphone (e.g. Somfy Tahoma app), radio or wall-mounted programmer.







Garage doors...  
impenetrable

**Get to know more about our garage doors, which are a guarantee of safety and titanium durability. Open up to all the benefits we provide.**

Garage doors are made based on professionally selected components, thanks to which your house will become a real fortress! Each panel of our garage doors is solid and has a monolithic construction.

1

Precisely cut springs for increased service life

2

Gaskets ensure that the door closes tightly around its entire circumference

3

Solid and monolithic construction thanks to hyper-reinforced galvanised steel

## Unique solutions



### Robust construction

The solid and monolithic construction of the panels, thanks to the hyper-reinforcement made of galvanised steel with an anti-corrosion coating, ensures greater rigidity and resistance of the garage doors to all weather changes.



### Ultra roller

Our hinges and other hardware are made with surgical precision. Light and quiet running is guaranteed by bearing-mounted Teflon rollers with special covers.



### Seal to the power of 4

Tight closing around the whole perimeter of the doors and sealing between the panels guarantees: resistance to water and wind, less noise and lower heating bills.



#### Hyper reinforced panel

Each panel of our door is solid and has a monolithic construction, with hyper reinforced galvanised steel with a corrosion protection coating.



#### Precision springs

The springs are perfectly matched to our garage doors and have been precisely cut so that they are not too heavy or too light.



#### Quiet rollers

Light and quiet running is guaranteed by bearing-mounted Teflon rollers with special covers.



#### Gasket <sup>4</sup>

A very flexible bottom gasket is responsible for the tightness of our doors, which is positioned all around and also manages to retain more heat inside thanks to the inter-panel seal.






## Protective shield

For us, quality is not an empty slogan, but a value that takes real shape.

Our recipe for a good product is based on the knowledge and commitment of our employees, advanced technology and the best materials. Our attention to detail and our constant search for the best solutions make EUROCOLOR a brand worth recommending. Whether you are satisfied with your purchase depends to a large extent on the correct choice of window, door, roller shutter or gate construction.

That is why we have prepared guarantee conditions that meet the expectations of even the most demanding customers. We also have for you an additional protection EURO Guarantee „+1“, „+3“, so that you can enjoy a reliable service of our products even longer.



**EURO Guarantee „+1“**

**Additional protection for your windows**



**EURO Guarantee „+3“**

**Safe windows, even longer!**

## Factory installation

**Beautiful and functional window... badly installed?  
Never again! We know how important it is for your  
comfort.**

That's why we offer a solution that will relieve you of unnecessary worries. Choose a Factory installation service carried out by EUROCOLOR certified installers. You can rest assured that it will be carried out quickly and professionally. We take care of everything.

The Factory instalation is EUROCOLOR's method of installation, which is based on generally available guidelines and EU standards for installing joinery, but which also includes several helpful hints and recommendations that will improve and raise the quality of service (from the measurement at the construction site to any post-installation adjustments) to a level that is unprecedented in the market, and which will satisfy both you and your customer, giving EUROCOLOR a real competitive advantage.


Details of the service are available in the Showrooms.



# Check out what you can find on our offer printout.

The document we have prepared contains a range of comprehensive information

- 1 Dimensions of your products
- 2 The selected technology and colour
- 3 Thermal insulating power Uw
- 4 Sound insulation Rw
- 5 Hardware variant
- 6 Type of warranty
- 7 Additional components needed for proper assembly of your products
- 8 Price including discounts granted in the Showrooms




# Where to buy?

We've been making windows and doors for over 25 years, and thanks to our cooperation with our partners, EUROCOLOR products are „at your fingertips". In the salesroom closest to you, you can buy the windows and doors you need for your dream home with the knowledge of our advisers or by using easy-to-read prints presenting the offer.

A detailed list of EUROCOLOR Authorised Dealers and Partner Shops can be found using our intuitive search engine available at [www: eurocolor.com.pl/where-to-buy](http://www.eurocolor.com.pl/where-to-buy)

It will help you find the contact details you need, find out about completed projects and the range of products displayed and offered in the showroom.







EUROCOLOR Sp. z o.o., ul. Toszecka 47, 44-120 Pyskowice, POLAND  
[eurocolor.com.pl](http://eurocolor.com.pl)

Copyright by EUROCOLOR 2024